Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





for the NURSERYMAN

AND

FORESTER



***** 1937-8

F. W. SCHUMACHER

Horticulturist

JAMAICA PLAIN, - - BOSTON, MASS.

TERMS

Deliveries are subject to yield of crops and safe arrival of our consignments and prices subject to change.

While we endeavor to carry ample stock, it is nevertheless impossible to have all seeds listed available at all times. Certain items cannot be stored successfully and are available in season only. Please bear this in mind when you place an order with us.

All seeds and plants are sold without warranty, expressed or implied as to description and productiveness. Seeds should be carefully inspected upon arrival and claims for conditions made at once. We cannot consider claims after seeds have been stored or planted.

All shipments travel at buyer's risk and claims for damages in transit must be taken up with the transportation companies.

Remittances made should include a fair amount for packing and postage, if shipment by mail is requested. Bags are being charged at cost price.

PACKETS—We shall be glad to supply packets of all items listed, if possible, and will charge 15c per packet unless listed otherwise.

TERMS-5% Discount for cash with order; for customers of approved credit, 10 days 2%; 30 days net.

SEND IN YOUR ORDER EARLY

Order from this catalogue until you receive a new issue. We shall extend the benefit of lower seasonable prices whenever it is possible to do so.

OTHER PUBLICATIONS—We issue two other catalogues.

- 1. A descriptive catalogue of all seeds of trees and shrubs suitable for FOREST PLANTING.
- 2. A price list for choice hardy herbaceous PERENNIALS and ROCKPLANTS.

Copies are gladly mailed upon request.

NATIVE AMERICAN SEEDS WANTED We buy and exchange seeds

F. W. SCHUMACHER

579 Centre Street

P. O. Box 131

JAMAICA PLAIN, BOSTON, MASS.

Telephone Jamaica 1571

Cable Address, Treeseeds Boston

CONIFERS

	oz.	1/4 16	. Ib.
ABIES amabilis.	\$.30		\$3.00
balsamea	.25	.65	2.25
		.65	2.25
cephalonica	.25	_	_
cilicica	.35	.90	3.00
concolor, Colorado	.15	.40	1.50
concolor lowiana	.20	.50	1.75
firma	.15	.40	1.25
fraseri	.45	1.35	4.50
		.75	2.50
grandis	.30		
holophylla	.20	.50	1.60
homolepis (brachyphylla)	.20	.50	1.75
lasiocarpa	.35	.90	3.00
magnifica	.30	.75	2.50
nobilis	.40	1.00	3.50
nobilis, from trees in cultivation	.50	1.35	4.50
nordmanniana, Caucasus seed	.20	.50	1.50
nordmanniana, seed from Northern Europe	.40	1.00	3.50
pectinata	.15	.30	1.00
pinsapo	.20	.50	1.75
pinsapo glauca	.40	1.30	4.00
sibirica.	.40	1.30	4.00
	.20	.50	1.75
veitchi		-	
webbiana, Himalayan Silver Fir	.50	1.65	5.00
DIOTA M. :			
BIOTA, see Thuja			
CEDRUS, Winter and Spring delivery only			
atlantica	.30	.75	2.50
atlantica argentea (glauca)	.40	1.00	3.50
			2.00
deodara	.25	.55	
libani	.30	.75	2.50
CERUAI OTAVICALIS	20	.60	2.00
CEPHALOTAXUS drupacea.	.20		
fortunei	.15	.20	.50
harringtonia	.15	.45	1.60
CHAMAECUDA DICL .	00	co	2.00
CHAMAECYPARIS lawsoniana	.20	.60	
lawsoniana, seed from Scandinavia, a hardy strain	.25	.75	2.50
lawsoniana argentea	.35	.90	3.25
lawsoniana aurea	.35	.90	3.25
lawsoniana pendula glauca	.45	1.50	
lawsoniana pyramidalis	.30	.80	2.75
mostleatemin	.70	1.95	6.00
nootkatensis			
obtusa	.15	.25	.80
pisifera (retinispora)	.15	.30	1.00
thyoides	.45	1.35	4.50
			- 05
CRYPTOMERIA japonica, seed from Japan	.15	.35	1.25
japonica sinensis, from China	.30	.75	2.50
japonica elegans	.50	1.25	4.25
japonica lobbi	.25	.65	2.25
CUNNINGHAMIA lanceolata	.30	.80	2.50
CUPRESSUS arizonica	.25	.70	2.35
funebris	.30	-85	2.80
goveniana	.40	1.10	3.75
lusitanica.	.30	.80	3.00
macnabiana, clean	.45	1.15	4.00
	.43		
macrocarpa		.70	2.35
macrocarpa, seed from garden specimens	.50	1.75	
sempervirens horizontalis		.25	.75
sempervirens pyramidalis (stricta)		.25	.80
torulosa	.20	.60	2.00
		2-	

JUNIPERUS chinensis, clean, from Japan. .25 .60 2.25 chinensis, elean, from Northern China .30 .70 2.25 chinensis syramidalis, clean .30 .70 2.55 chinensis by paramidalis, clean .35 1.35 .35				
JUNIPERUS chinensis, clean, from Japan. 25		oz.		
chinensis, olean, from Northern China	GINKGO biloba, domestic		.20	.50
chinensis syramidalis, clean	JUNIPERUS chinensis, clean, from Japan	.25	.60	2.25
chinensis sargenti, clean		.30	.70	2.50
communis, imported, clean		.30		2.75
New England berries	chinensis sargenti, clean	.50	1.35	4.50
Communis depressa (prostrata) 15 40 1.45	communis, imported, clean	.15	.35	1.25
communis depressa (prostrata) 15	New England berries	.15	.35	1.15
Communis pyramidalis, clean 30		.15	.40	1.50
communis pyramidalis, clean	communis depressa (prostrata)	.15	.40	1.45
horizontalis, a fine hardy Juniper from Montana.		.15	.40	1.45
horizontalis, a fine hardy Juniper from Montana.	communis pyramidalis, clean	.30	.70	2.50
japonica		.25	.60	2.00
monosperma .20		.50	1.25	4.50
procumbens, clean		.20	.40	1.50
Sabina		.30	.70	2.50
scopulorum, seed from Colorado.				1.75
Seed from Montana or Dakota. 20 50 1.75	scopulorum, seed from Colorado.	_		1.35
scopulorum, columnar type, a natural form found in isolated stands in Montana.	seed from Montana or Dakota			
Montana 20 55 2.0			,,,,	
Scopulorum, spreading type, a hardy prostrate form from Montana.		20	.55	2.00
Scopulorum, seed from New England				
virginiana, seed from New England .25 .55 2.06 seed from Tennessee .15 .25 .86 seed from Nursery specimens, clean .15 .25 .86 seed from Nursery specimens, clean .25 .65 2.22 .50 2.55 .25 .50 2.55 LARIX, Winter delivery. .20 .50 2.55 LARIX, Winter delivery. .35 .85 2.82 europaea, loon-2000 ft. .30 .35 .85 2.82 europaea, loon-2000 ft. .30 .30 .90 3.00 europaea, large grained seed from Western High Alps, 5000-6000 ft. .30 .90 3.00 europaea, seed from Scotland, this strain not being affected by the leaf-shedding disease seems to be the best. .55 1.85 5.56 europaea, sudetica (polonica) 2000-3000 ft. .30 .75 2.55 1.85 5.56 europaea, sudetica (polonica) 2000-3000 ft. .30 .75 2.55 1.85 5.56 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00				
seed from Tennessee .15 .25 .84 seed from Nebraska, Platte River type .15 .25 .85 seed from Nursery specimens, clean .25 .65 .22 virginiana glauca (argentea) New England berries .20 .50 .25 LARIX, Winter delivery. .35 .85 .85 daturica .35 .85 .85 .85 europaea, 1000-2000 ft. .30 .90 .30 .90 .30 europaea, large grained seed from Western High Alps, 5000-6000 ft. .30 .90 .30 europaea, seed from Scotland, this strain not being affected by the leaf-shedding disease seems to be the best .55 .85 .55 seuropaea sudetica (polonica) 2000-3000 ft. .30 .75 .25 leptolepis .60 .200 .60 occidentalis .60 .200 .60 occidentalis .50 .25 .50 .25 potanini, Chinese Larch, a graceful tree to 90 ft. with long pendulous branches, 20 pkt. 40½ oz .55 .25 sibirica .50 .25 .55 .25 .25 LIBOCEDRUS decurrens .20 .50 1.75 PICEA ajanensis, see jezoensis .20 .50 1.75 PICEA ajanensis, see jezoensis .20 .50 .25 4.50 seed from Northern New England .40 .00 3.50 seed from Northern New England .40 .00 3.50 canadensis albertiana, Black Hills Spruce .45 .20 4.00 engelmanni .30 .90 3.00 EXCELSA—One pound of NORWAY SPRUCE seed sown broadcast will plant about 15 yds. of 4 ft. wide bed .50 .50 .75 Seed from Carpathian Mountains .35 .25 .45 .55 .55 .75 .75 .75 2.8 Seed from Boehmerwald (Bohemian Forest) .45 .55 .45 .55				
seed from Nebraska, Platte River type .15	seed from Topposee			
Seed from Nursery specimens, clean	good from Nobroaka Digtor type			
Virginiana glauca (argentea) New England berries .20				
LARIX, Winter delivery. dahurica				
dahurica		.20	.30	2.50
europaea, 1000-2000 ft				
europaea, large grained seed from Western High Alps, 5000-6000 ft	dahurica			2.85
europaea, seed from Scotland, this strain not being affected by the leaf-shedding disease seems to be the best	europaea, 1000-2000 ft	.20		2.00
Shedding disease seems to be the best.	europaea, large grained seed from Western High Alps, 5000-6000 ft	.30	.90	3.00
europaea sudetica (polonica) 2000-3000 ft				
leptolepis	shedding disease seems to be the best	.55	1.85	5.50
occidentalis. potanini, Chinese Larch, a graceful tree to 90 ft. with long pendulous branches, 20 pkt. 40½ oz. sibirica. LIBOCEDRUS decurrens. LIBOCEDRUS decurrens. Canadensis, see jezoensis canadensis (alba-glauca)—One pound of WHITE SPRUCE seed sown broadcast will plant about 25 yds. of 4 ft. wide bed. seed from planted stands. seed from Northern New England. canadensis albertiana, Black Hills Spruce. engelmanni. EXCELSA—One pound of NORWAY SPRUCE seed sown broadcast will plant about 15 yds. of 4 ft. wide bed 1. Seed from the Alps. 2. Seed from Boehmerwald (Bohemian Forest). 4. Seed from Harz Mountains. No. 3 and 4 are two rugged strains superior in many ways to ordinary seed, preferred by European Forester and Nurserymen 5. Seed from Northern Europe. A lowland strain exceeding in size and wood production the mountain strains. Seed will produce a superior plant material of dark green color as preferred in landscape work and for use as Christmas trees. Seed is excellently cleaned and of highest		.30	.75	2.50
occidentalis	leptolepis	.60	2.00	6.00
potanini, Chinese Larch, a graceful tree to 90 ft. with long pendulous branches, 20 pkt. 40½ oz	occidentalis	.40	1.10	3.75
branches, 20 pkt. 40½ oz. sibirica				
sibirica		1.25		
PICEA ajanensis, see jezoensis canadensis (alba-glauca)—One pound of WHITE SPRUCE seed sown broadcast will plant about 25 yds. of 4 ft. wide bed. seed from planted stands. seed from Northern New England. canadensis albertiana, Black Hills Spruce. engelmanni. EXCELSA—One pound of NORWAY SPRUCE seed sown broadcast will plant about 15 yds. of 4 ft. wide bed 1. Seed from the Alps. 2. Seed from Carpathian Mountains. 3. Seed from Boehmerwald (Bohemian Forest). 4. Seed from Harz Mountains. No. 3 and 4 are two rugged strains superior in many ways to ordinary seed, preferred by European Forester and Nurserymen 5. Seed from Northern Europe. A lowland strain exceeding in size and wood production the mountain strains. Seed will produce a superior plant material of dark green color as preferred in landscape work and for use as Christmas trees. Seed is excellently cleaned and of highest		.50	1.25	4.50
PICEA ajanensis, see jezoensis canadensis (alba-glauca)—One pound of WHITE SPRUCE seed sown broadcast will plant about 25 yds. of 4 ft. wide bed. seed from planted stands				
canadensis (alba-glauca)—One pound of WHITE SPRUCE seed sown broadcast will plant about 25 yds. of 4 ft. wide bed. seed from planted stands	LIDOCEDROS decurrens	.20	.30	1.75
canadensis (alba-glauca)—One pound of WHITE SPRUCE seed sown broadcast will plant about 25 yds. of 4 ft. wide bed. seed from planted stands	PICFA signencie see jezoensis			
broadcast will plant about 25 yds. of 4 ft. wide bed. seed from planted stands				
seed from Northern New England				
seed from Northern New England		\$ 25	\$ 50	\$1.75
canadensis albertiana, Black Hills Spruce	seed from Northann New England		-	-
EXCELSA—One pound of NORWAY SPRUCE seed sown broadcast will plant about 15 yds. of 4 ft. wide bed 1. Seed from the Alps				
EXCELSA—One pound of NORWAY SPRUCE seed sown broadcast will plant about 15 yds. of 4 ft. wide bed 1. Seed from the Alps	•			
plant about 15 yds. of 4 ft. wide bed 1. Seed from the Alps		.50	.50	5.00
1. Seed from the Alps	EXCELSA—One pound of NORWAY SPRUCE seed sown broadcast will			
 Seed from Carpathian Mountains	plant about 15 yds. of 4 ft. wide bed			
 Seed from Carpathian Mountains	1. Seed from the Alps		.30	.90
3. Seed from Boehmerwald (Bohemian Forest)	2. Seed from Carpathian Mountains		.35	1.25
 4. Seed from Harz Mountains				1.50
No. 3 and 4 are two rugged strains superior in many ways to ordinary seed, preferred by European Forester and Nurserymen 5. Seed from Northern Europe. A lowland strain exceeding in size and wood production the mountain strains. Seed will produce a superior plant material of dark green color as preferred in landscape work and for use as Christmas trees. Seed is excellently cleaned and of highest	4. Seed from Harz Mountains		.45	1.50
nary seed, preferred by European Forester and Nurserymen 5. Seed from Northern Europe. A lowland strain exceeding in size and wood production the mountain strains. Seed will produce a superior plant material of dark green color as preferred in landscape work and for use as Christmas trees. Seed is excellently cleaned and of highest	No. 3 and 4 are two rugged strains superior in many ways to ordi-			
5. Seed from Northern Europe. A lowland strain exceeding in size and wood production the mountain strains. Seed will produce a superior plant material of dark green color as preferred in landscape work and for use as Christmas trees. Seed is excellently cleaned and of highest				
wood production the mountain strains. Seed will produce a superior plant material of dark green color as preferred in landscape work and for use as Christmas trees. Seed is excellently cleaned and of highest				
plant material of dark green color as preferred in landscape work and for use as Christmas trees. Seed is excellently cleaned and of highest				
for use as Christmas trees. Seed is excellently cleaned and of highest				
Вотинципоп		25	.70	2.25
	Вотинципоп.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.20	•••	

EXCELSA (continued)	oz.	1/4 lb	. lb.
6. Seed from France, Vosges Mountains and Black Forest, Germany			
The fastest growing strain		.45	1.50
7. Seed from Finland. (P. excelsa borealis) the hardiest strain, valu-	-		
able in landscaping because of its slow growth. Prices for plants of			
these upon request	.30	.80	2.75
glehni	.50	1.50	
jezoensis		1.00	3.50
jezoensis hondoensis	.30	.90	3.00
mariana (nigra)		1.80	6.00
morinda			
obovata		1.25	4.25
omorika		2.85	9.00
polita		.85	3.00
pungens		.90	3.2
pungens glauca, Colorado Blue Spruce, from blue stands		1.10	3.75
hand picked from blue trees		1.85	6.50
rubra	40	1.00	3.50
sitchensis		1.25	4.00
sitchensis from Alaska	50	1.35	4.50
wilson's Spruce, handsome Chinese Spruce, to 70 ft25 1/4 oz	75	2.00	
INUS albicaulis	50	1.45	4.8
aristata		.70	2.2
armandi, Chinese White Pine, surpassing Pinus excelsa in beauty and			
hardiness		1.00	3.5
attenuata		1.50	
banksiana		.80	2.7
bungeana, Lacebark Pine, a holy tree of the Chinese planted in temple grounds, bark becomes chalky white on old trees		.90	3.0
canariensis		.50	1.7
caribaea		.50	1.7
cembra.		.30	.8
cembra sibirica	.20	.40	1.5
contorta	.55	1.65	5.0
contorta latifolia, see murrayana			
coulteri		.90	2.50
densiflora		.30	1.00
echinataedulis		1.40	4.79
excelsa.		.40	1.50
flexilis		.75	2.50
halepensis		.40	1.3
jeffreyi		.90	2.50
koraiensis	.10	.20	.55
koraiensis Northernmost form from interior Manchuria, much hardien			
than the usual strain from Korea		1.00	3.50
lambertiana		.50	1.75
leucodermis	1.25		
maritima, see pinaster massoniana, Chinese Red Pine	.20	.60	2.00
montana gallica		1.15	3.85
montana mughus	_	.55	2.00
montana mughus, selected dwarf		.80	2.85
montana mughus compacta		.85	3.25
montana pumilio	.30	.80	2.75
montana uncinata		.60	2.50
monticola		1.00	4.35
murrayana (latifolia)	.50	1.40	4.75

NICONA (a 4 is a) and form A making One was a 1 of A HICTORANI DUNIT and	oz.	¼ lb.	lb.
NIGRA (austriaca) seed from Austria.—One pound of AUSTRIAN PINE seed sown broadcast will plant about 16 yds. of 4 ft. wide bed	.15	.40	1.25
nigra, seed from Southern Scandinavia	.35	.90	2.50
nigra calabarica	.60	1.50	5.00
nigra caramanica (pallasiana)	.35	.80	3.00
nigra poiretiana (laricio) Corsican Pine			
seed from planted stands	.35	.90	2.50
seed from Corsica hill districts	.45	1.25	4.00
seed from Corsica 4500-5000 ft	.50	1.40	4.50
palustris	.15	.50	1.50
parryana, hardy dwarf Pine, fine for specimens	.50	1.50	5.00
parviflora (pentaphylla)	.15	.40	1.25
patula	.80	3.00	
peuce	.30	.90	2.50
pinaster (maritima) from inland forests		.25	.75
French seed collected from seashore plants only	.20	.45	1.50
Corsican seed from high elevation 4500 feet	.25	-60	2.00
pinea	.15	.25	-85
ponderosa, seed from Pacific Coast	.15	.65	2.25
ponderosa (scopulorum) seed from Colorado or Dakota	.15	.45	1.50
pumila	.40	.95	3.50
radiata (insignis)	.25	.65	2.10
resinosa	-60-	1.75	
rigida, New England	.40		
sabiniana	.15	.35	1.25
sinensis (tabulaeformis), Chinese Pine, attention has turned lately to this beautiful and extremely hardy Pine. A notable ornamental according to			
the late E. H. Wilson	.75	.70	2.50

A FRIENDLY REQUEST

Please save this list and order from it until you receive a new copy. We do not know yet when we will be able to make our next extensive list. Most of our time is given to collecting, preparing, conditioning and testing of our seeds, and besides the shipping there is not much time left for anything else. Write us when you find our list deficient, we may be able to serve you anyhow. THANK YOU.

STROBUS—One pound of WHITE PINE seed sown broadcast will plant about				
10 yds. of 4 ft. wide bed.				
seed from Lake States or Canada	.20	.60	2.00	
seed from planted stands	.20	.50	1.75	
sylvestris—One pound of SCOTCH PINE seed sown broadcast will plant about 18 yds. of 4 ft. wide bed.		`		
seed from Central Europe				
A—Mountain seed	.15	.40	1.25	
B—Lowland seed	.15	.40	1.25	
from Czechoslovakia, a fine strain of clear bole timber	.20	.55	2.00	
from Northwestern Europe, Belgium	.15	.50	1.50	
- · · · · · · · · · · · · · · · · · · ·	•15		1.50	
STRAIGHT TIMBER STRAIN, seed from Northeastern Germany,				
the best seed available for average United States conditions	.35	.90	3.50	
seed from Finland, the hardiest strain	.45	1.50	4.50	
seed from Scotland, the Scots Highland Fir, a rugged mountain strain.	.60	1.75	6.00	
tabulaeformis, see sinensis				
taeda	.25	.60	2.10	
thunbergi	.15	.30	1.00	
torreyana	.60	1.50	5.00	
PSEUDOLARIX kaempferi	.40	1.35	4.00	
PSEUDOTSUGA douglasi (taxifolia) caesia	.65	1.65	6.00	
douglasi (taxifolia) glauca	.50	1.50	4.50	
douglasi (taxifolia) viridis	.50	1.50	4.50	

		oz.	1/4 lb	. lb.
SCIADOPITYS verticillata		.25	.60	2.00
SEQUOIA gigantea		.75	1.75	6.00
sempervirens, domestic seed only		.35	.90	3.25
TAXODIUM distychum	• • • • • • • • • • • • • • • • • • • •	.15	.40	1.50
TAXUS baccata		.25	.50	1.75
baccata adpressa		.30	.80	3.00
baccata fastigiata (pyramidalis)		.40 .45	.95	3.50
cuspidata capitata		.15	.30	1.00
cuspidata, seed from a fine domestic strain, with dark gre	een feathery foliage	.25	.60	2.00
media hicksi	• • • • • • • • • • • • • • • • • • • •	.35	1.00	1
THUJA (Biota) orientalis, domestic seed		.20	.40	1.50
THUJA occidentalisoccidentalis		.30 .40	.85 1.00	2.75 3.50
occidentalis wareana		.75	2.25	7.50
THUJA (Biota) orientalis, domestic seed		.20	.40	1.50
imported seed	• • • • • • • • • • • • • • • • • • • •	.15	.35	1.25
orientalis aurea	-	.25	.70	2.35
orientalis aurea nana		.20 .20	.75 .60	2.50 2.00
orientalis conspicua		.25	.75	2.50
orientalis pyramidalis		.25	.75	2.50
plicata (gigantea-lobbi)		.45	1.25	4.25
TSUGA canadensis, New England seed		.65	1.80	6.00
caroliniana		.70	1.65	5.50
chinensisdiversifolia.		.75 .35	.80	3.00
heterophylla		.65	1.75	6.50
mertensiana		.85	2.50	8.50
sieboldi		.35	.80	3.00
II				
PLANTS FOR GAME COVER	AND FORAGE			
LUPINUS polyphyllus, Blue Perennial Lupin	\$60 00 per 100 lb	.15	30	1.00
THERMOPSIS caroliniana, Yellow Carolina Lupin, to 5 feet		1.50	4.50	2.00
THERMOI SIS Caroninana, Tenow Caronia Eupin, to o reco	<i>va</i>	1.00	4.00	
III				
DECIDUOUS TREES AND S	HRUBS			
	pkt. 1/1 oz. 1/4 oz.			
ACANTHOPANAX ricinifolium		\$.30	\$.45	\$2.50
ACER campestre		.15	.25	.85
dasycarpum (New England seed, large quantities in crop		.15	.25	.65
years)ginnala		.15	.35	1.25
Hersi		720		
macrophyllum, fine Western Maple		20	.40	1.25
monspessulanum		.15	.45	1.75
negundonegundo californicum		.15 .15	.30 .35	1.00 1.25
nikoense, fine Japanese Maple, with brilliant fall coloring		.40	.85	3.00
palmatum		.15	.35	1.25
pennsylvanicum		.15	.45	1.50
platanoides, here collected		15	.15 .25	.50
pseudo-platanuspseudo-platanus purpurascens		.15 .15	.25 .25	.55 .90
saccharum		.15	.35	1.25
		.25	.90	2.50
tataricum		.20		

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
ACTINIDIA arguta		_			1.10	4.00
	\$.35			1.35	2.20	
lanceolata	.35			1.35		
polygama	.35			1.35		
AESCULUS carnea (A. hippocastanum rubicunda)					.15	.35
glabra						.30
hippocastanum				4		.15
octandra						.35
ALANTHUS glandulosa				.15	.25	.75
vilmoriana			\$.15	.35	1.00	
KEBIA lobata, a fine climber with large foliage and inter-						
esting fruiting habit				.25	.70	2.50
quinata				.20		1.80
LBIZZIA julibrissin				.15	.30	1.00
julibrissin, rose flowered, the best garden form, hardy						2.00
around Boston				.30	.70	2.50
LEURITES fordi, quantity prices upon request				.15	.40	1.25
LNIPHYLLUM fortunei (Halesia fortunei) the handsome						
Chinese Silver-bell	.20	0	.30	.90		
				.15		1.00
LNUS glutinosaincana				.15	.30 .35	1.10
rubra (oregana)			.25	.75	2.25	1.10
rugosa, native Alder, useful ornamental and cover shrub			.20	•••	2.20	
on wet ground				.20	.65	2.00
viridis				.15	.40	1.25
LYSSUM rostratum, hardy compact sub-shrub, with						
yellow flowers, fine for large rockeries	.20				•	
MELANCHIER alnifolia	.15			.25	.70	2.50
canadensis	.13			.20	_	2.00
canadensis, clean			.25	.85	2.35	9.00
laevis			.20	.25	.70	2.50
oblongifolia, handsome Amelanchier, fast growing with				.20		
large leaves, profusely blooming and fruiting, bearing						
enormous crops of juicy berries, good to eat and useful						
for preserves				.35	1.00	3.50
ovalis (spicata) (oblongifolia x stolonifera), a non-stolon-						
iferous shrub to six feet, bearing heavy crops of sweet						
fruit of same flavor as oblongifolia				.35		3.50
stolonifera				.25	.75	2.50
stolonifera, collected from an extremely dwarf strain				.30	1.25	
MORPHA canescens				.25	.65	2.10
fruticosa				.15	.25	-85
microphylla (nana)				.25	.55	2.00
MPELOPSIS aconitifolia 100 seeds .35; 1000 seeds 2.00						
brevipedunculata			.15	.45		
henryana				.35	.90	3.00
heterophylla (amurensis)				.30	.70	2.50
laetevirens	.35					
megalophylla, Large Leaf Ampelopsis100 seeds .35						
1000 seeds 1.25						
quinquefolia, domestic berries					.30	.85
imported clean				.15	.40	1.25
tricuspidata, clean				.15	.40	1.50
MYGDALUS (PRUNUS) communis					.25	.65
communis fragilis					.40	1.50
davidiana, Chinese Wild Peach				.15	.35	1.20
persica, Peach Pits, small naturals3.75 bushel						.50
	50					
ANDROMEDA polifolia	.50					

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
ARALIA chinensis, Chinese Anglica tree				.25	.60	2.00
hispida, Bristly Sarsaparilla, clean seed				.35	.85	3.00
spinosa				.15	.35	1.25
ARBUTUS menziesii				.30	.50	1.65
unedo				.25	.60	2.00
ARCTOSTAPHYLOS columbiana			.25	.65		
glauca				.25	.60	2.00
pungens			.25	.85		
tomentosa				.25	.60	2.00
uva-ursi, New England seed				.20	.55	1.85
ARCTOUS alpina	.25					
erythrocarpa (ruber)	.75					
ARDISIA crenulata, Coral Ardisia				.20	.55	1.60
japonica, Creeping Ardisia				.30	1.00	
ARISTOLOCHIA sipho, true large-leaved Aristolochia			.20	.40	1.00	3.50
tomentosa			.15	.30	.50	1.50
ARONIA arbutifolia				.15	.30	1.00
melanocarpa				.15	.30	1.00
ASIMINA triloba				.15	.30	1.10
ATRIPLEX halimus				.20	.45	1.50
AZALEA albrechti	.75					
altaclarensis, valuable form of pontica with deep yellow						
fragrant flowers, hardy in New England	.20	.75	2.00			
amoena	.20	.40	1.20			
arborescens		.20	.50	1.75		
atlantica	.25	.50				
calendulacea		.20	.50	1.75		
canescens		.20	.60	2.00		
dahurica	.15	.30	.85	3.00		
dilatata	.15	.30	.85	3.00		
gandavensis (hybrids of pontica)	.20	.40	1.20	3.00		
hinodigiri	.20	.40	1.25	3.75		
indica, from fine collection		.75	1.85			
indica macrantha	.20	.35	.85	3.00		
indica macrantha hybrida	.25	.50	1.50	0.00		
japonica, with flowers of salmon, red and yellow shades		.20	.60	2.00		
kaempferi, imported		.30	.50	1.50		
kaempferi, domestic seed, collected from fine New Eng-	40	1 00	2 00			
land specimens, a hardy strain	.40	1.00	3.00			
and beauty developed by interbreeding three species:						
kaempferi, malvatica and hinodigiri. Plants of these						
hybrids have proved to be hardy in Canada). Seed						
from general collection	.40	1.00	3.00			
Seed saved from plants with brick-red flowers	.50	1.20	3.50			
ledifolia, mixed	.15	.30	.70	2.50		
ledifolia noordtiana (japonica alba grdfl.) a splendid	•10	.50		2.00		
white form	.20	.35	1.00	3.00		
ledifolia purpurea	0	.35	1.00	3.00		
ledifolia rubra magnifica, a new hybrid of great merit	.50		2.00			
linearifolia macrosepala purpurea	.15	.35	1.00	3.00		
mollis, American seed, from New England choice collec-						
tions	.20	.35	1.00	3.00		
mollis, from European garden varieties		.75	2.00	6.00		
mollis, seed from Japan, garden varieties		.15	.30	1.00	2.25	7.00
mollis (sinensis) Wild Chinese Yellow Azalea	.15	.25	.65	2.25		
mollis, Kersbergen Strain, a fine strain of Azalea Mollis						
1000 seeds 1.00						
mollis x japonica (mollis x sinensis)	.75					
mollis x japonica (mollis x sinensis) Kersbergen Strain,						
the finest strain available, seed collected from choice						
named Hybrids1000 seeds 2.00						

AZALEA, named Hybrids, all are .35 pkt.; .75 trade pkt, 1000 seeds \$1.00

Japonica x mollis (mollis x sinensis) Hybrids
Comte de Kerckhove, orange-red
Comtesse de Kerckhove
Duc of Krugten
Hugo Hardijzer, red
J. C. Van Tol, claret color
Lang Smith
Oosthoeck's Brilliant Red, finest brilliant
orange- scarlet
Mme. Arthur de Warelles, pale salmon,
flushed orange
Queen Sophia, rose shaded orange

Ghent or Pontica Hybrids
Alba Odorata, pure white, sweet scented
Bouquet de Flore, salmon rose
Coccinea Speciosa, orange red
Diamont, soft rose, brown blotch
Duc d'Orleans
General Trauff, violet
Ghent Rose, rose color
Grandeur Triumphante, violet red
Flameola incarnata, fine rose
Ignea nova, carmine
Julius Caesar
Remarquable
Roi de Feu, fiery red
William III, orange

We test all Azalea seeds received by us.

mucronulata								
nudiflora		pkt.	$\frac{1}{16}$ oz.	1/4 oz.	oz.	1/4 lb.	lb.	
obtusa kurume .25 .60 1.75 6.00 occidentalis .25 .65 2.25 pontica hybrida (gandavensis) from fine European collection .25 .65 2.00 6.00 poukhanensis, imported .20 .35 .75 .100 3.00 poukhanensis, from selected garden specimens .35 .75 .20 .50 1.50 .75 .85 .75 .20 <t< td=""><td>mucronulata</td><td>.15</td><td>.35</td><td>.60</td><td>2.00</td><td></td><td></td><td></td></t<>	mucronulata	.15	.35	.60	2.00			
occidentalis	nudiflora	.15	.37	1.00				
pontica	obtusa kurume	.25	.60	1.75	6.00			
pontica	occidentalis		.30	.70	2.50			
pontica hybrida (gandavensis) from fine European collection			.25	.65	2.25			
poukhanensis, imported								
poukhanensis, imported	collection	.25	.65	2.00	6.00			
poukhanensis, from selected garden specimens .35 procumbens (Loiseleuria pr.) .85 rosea .35 .70 2.00 simsi, from China, parent species of Indica Azaleas .25 .75 simensis, see mollis schlippenbachi .25 .55 1.75 vaseyi .25 .65 2.00 viscosa .15 .30 1.00 BACCHARIS halimifolia .25 .65 2.00 process .25 .65 2.00 siscosa .15 .30 1.00 BENZOIN aestivale .25 .65 2.00 siscosa .15 .30 1.00 BENZOIN aestivale .35 dictophylla .100 seeds .60—1000 seeds 3.60 juliana .100 seeds 1.25—1000 seeds 3.60 juliana .100 seeds 1.25—1000 seeds 3.25 rubrostilla .25 .25 .75 2.00 sinensis .35 sinensis .35 classinensis .35 dry berries , lower England seed . We are prepared to furnish large quantities, our clean seed runs about 37,200 seed to a pound fresh berries, fall delivery .30 seed . 25 .75 2.50 thunbergi , New England seed . We are prepared to furnish large quantities, our clean seed runs about 37,200 seed to a pound fresh berries, fall delivery .30 seed .35 dry berries .30 .95 fresh berries, broken up prepared for fall planting .25 .75 2.50 thunbergi atropurpurea, Purple Leaf Barberry .50 seeds .35 verruculosa hybrida .35 .75 2.15 6.50 verruculosa hybrida .35 .75 2.15 6.50 verruculosa hybrida .35 .75 2.15 6.50 NEW CHINESE HYBRIDS, interesting Hybrids of various species .50 1.50	poukhanensis, imported	.20	.35	1.00	3.00			
procumbens (Loiseleuria pr.)	poukhanensis, from selected garden specimens	.35	.75					
rosea		.85						
simsi, from China, parent species of Indica Azaleas. .25 .75 sinensis, see mollis .25 .55 1.75 vaseyi. .25 .65 2.00 viscosa. .15 .30 1.00 BACCHARIS halimifolia. .25 .65 2.00 BENZOIN aestivale. .15 .25 .65 2.00 BERBERIS amurensis. .20 .50 1.50 candidula. .35 .35 .20 .50 1.50 dictophylla. .100 seeds .60—1000 seeds 3.60 .35 .5 .5 .5 .85 BERBERIS amurensis. .30 .60—1000 seeds 3.60 .35 .30 .5 .5 .85 dictophylla. .100 seeds .60—1000 seeds 3.60 .0 .5 .5 .5 .5 .85 pruinosa. .100 seeds .50—1000 seeds 3.25 .5 .75 2.00 .5	rosea	.35	.70	2.00				
sinensis, see mollis schlippenbachi	simsi, from China, parent species of Indica Azaleas	.25	.75					
vaseyi. .25 .65 2.00 viscosa .15 .30 1.00 BACCHARIS halimifolia. .25 .65 2.00 BENZOIN aestivale. .15 .25 .65 2.00 BERBERIS amurensis. .20 .50 1.50 candidula. .35 .35 .25 .50 1.50 dictophylla. .100 seeds .60—1000 seeds 3.60 .35 .25 .75 2.00 .35 luliana. .100 seeds .50—1000 seeds 3.25 .25 .75 2.00 .50 1.50 sinensis. .15 .20 .50 1.50 .50 1.50 sinensis. .15 .20 .50 1.50 .50 1.50 sinensis. .15 .20 .50 1.50 .50 1.50 subcauliata .100 seeds .25—1000 seeds 1.25 .15 .20 .50 1.50 subcauliata .100 seeds .25—1000 seeds 1.25 .25 .75 2.00 .50 1.50 fresh berries, fall delivery	sinensis, see mollis							
viscosa. .15 .30 1.00 BACCHARIS halimifolia. .25 .65 2.00 BENZOIN aestivale. .15 .25 .85 BERBERIS amurensis. .20 .50 1.50 candidula. .35 dictophylla. .100 seeds .60—1000 seeds 3.60 .35 .35 .25 .75 2.00 .50 1.50 koreana. .100 seeds .50—1000 seeds 3.25 .25 .75 2.00 .50 1.50 sinensis. .15 .20 .50 1.50 .50 1.50 sinensis. .15 .20 .50 1.50 .50 1.50 sinensis. .15 .20 .50 1.50 .50 1.50 .50 1.50 .50 1.50 .50 1.50 .50 1.50 .50 1.50 .50 1.50 .50 .50 1.50 .50 .50 1.50 .50 .50 1.50 .50 .50 1.50 .50 .50 1.50 .50 .50 .50 .50 .50 .50 .50	schlippenbachi		.25	.55	1.75			
viscosa .15 .30 1.00 BACCHARIS halimifolia .25 .65 2.00 BENZOIN aestivale .15 .25 .85 BERBERIS amurensis .20 .50 1.50 candidula .35 dictophylla .100 seeds .60—1000 seeds 3.60 .35 .35 .20 .50 1.50 koreana .100 seeds 1.25—1000 seeds 3.25 .25 .75 2.00 .50 1.50 sinensis .15 .20 .50 1.50 .50 1.50 subcauliata .100 seeds .25—1000 seeds 1.25 .15 .20 .50 1.50 subcauliata .100 seeds .25—1000 seeds 1.25 .25 .75 2.00 .50 1.50 subcauliata .100 seeds .25—1000 seeds 1.25 .15 .20 .50 1.50 subcauliata .100 seeds .25—1000 seeds 1.25 .25 .75 2.00 .85 dry berries .6 .6 .25 .75 .20 .50 1.50 fresh berries, broken up prepared for fall planting clean seed .25 .75 2.50	vaseyi		.25	.65	2.00			
BENZOIN aestivale	viscosa		.15	.30	1.00			
BERZOIN aestivale.	BACCHARIS halimifolia				.25	.65	2.00	
Serricological Service					15	25	.85	
candidula. .35 dictophylla. .100 seeds .60—1000 seeds 3.60 juliana. .100 seeds 1.25—1000 seeds 6.00 koreana. .15 .40 1.00 3.50 pruinosa. .100 seeds .50—1000 seeds 3.25 .25 .75 2.00 .50 1.50 sinensis. .15 .20 .50 1.50 .50 1.50 subcauliata .100 seeds .25—1000 seeds 1.25 .50 .50 1.50 .50 1.50 thunbergi, New England seed. .We are prepared to furnish large quantities, our clean seed runs about 37,200 .30 .85 .50 1.50 seed to a pound fresh berries, fall delivery. .30 .85 .50 1.50 .50 1.50 fresh berries, broken up prepared for fall planting. .30 .95 .50 1.50 .50 1.50 thunbergi atropurpurea, Purple Leaf Barberry. .75 2.00 6.00 .00 thunbergi minor, Box-Barberry. .50 .50 1.50 .50 1.50 verruculosa. .30 1.00 .35 .75 2.15 6.50 .50				-			.00	
dictophylla		~-		.20	.50	1.50		
juliana		.35						
koreana								
pruinosa					4.0			
rubrostilla .25 .75 2.00 sinensis .15 .20 .50 1.50 subcauliata .100 seeds .25—1000 seeds 1.25 thunbergi, New England seed. We are prepared to furnish large quantities, our clean seed runs about 37,200 seed to a pound fresh berries, fall delivery .30 .85 dry berries. .50 1.50 fresh berries, broken up prepared for fall planting. clean seed .30 .95 clean seed. .25 .75 2.50 thunbergi atropurpurea, Purple Leaf Barberry. .75 2.00 6.00 thunbergi minor, Box-Barberry. .50 1.00 verruculosa .35 .75 2.15 6.50 wilsonae, an excellent grade of clean seed .15 .35 1.25 NEW CHINESE HYBRIDS, interesting Hybrids of various species .20 .50 1.50				.15	.40	1.00	3.50	
sinensis. .15 .20 .50 1.50 subcauliata .100 seeds .25—1000 seeds 1.25 <	- <u>-</u>		~~					
subcauliata			.25					
thunbergi, New England seed. We are prepared to furnish large quantities, our clean seed runs about 37,200 seed to a pound fresh berries, fall delivery		.15		.20	.50	1.50		
nish large quantities, our clean seed runs about 37,200 seed to a pound fresh berries, fall delivery								
seed to a pound .30 .85 dry berries, fall delivery .50 1.50 fresh berries, broken up prepared for fall planting .30 .95 clean seed .25 .75 2.50 thunbergi atropurpurea, Purple Leaf Barberry .75 2.00 6.00 thunbergi minor, Box-Barberry .50 seeds .35 .75 2.15 6.50 verruculosa .35 .75 2.15 6.50 wilsonae, an excellent grade of clean seed .15 .35 1.25 NEW CHINESE HYBRIDS, interesting Hybrids of various species .20 .50 1.50								
fresh berries, fall delivery								
dry berries						2.0		
fresh berries, broken up prepared for fall planting clean seed								
clean seed.	dry berries							
thunbergi atropurpurea, Purple Leaf Barberry					~~			
thunbergi minor, Box-Barberry								
verruculosa .30 1.00 verruculosa hybrida .35 .75 2.15 6.50 wilsonae, an excellent grade of clean seed .15 .35 1.25 NEW CHINESE HYBRIDS, interesting Hybrids of various species .20 .50 1.50					.75	2.00	6.00	
verruculosa hybrida .35 .75 2.15 6.50 wilsonae, an excellent grade of clean seed .15 .35 1.25 NEW CHINESE HYBRIDS, interesting Hybrids of various species .20 .50 1.50								
wilsonae, an excellent grade of clean seed								
NEW CHINESE HYBRIDS, interesting Hybrids of various species			.75					
various species		.15		.35	1.25			
-								
	various species	.20		.50	1.50			

	pkt.	1/6 oz.	1/4 oz.	oz.	¼ lb.	lь.
BETULA alaskana	.75					
alba (verrucosa) European Silver Birch				.15		.85
alba (verrucosa) seed from Sweden				.15		1.50
alba pendula			90	.20		1.75
japonicalenta			.20	40 .25		2.50
lutea				.25		2.50
nigra				.25		2.50
odorata (pubescens) European White Birch, hardier than alba, will grow on peat and bog land				.15		1.50
papyrifera				.20		1.75
populifolia	•			.15		1.50
BIGNONIA grandiflora	.15		.25	.65		
radicans	• • • • • • • • • • • • • • • • • • • •		.20	.20		1.60
BROUSSONETIA papyrifera				.40	1.20	4.00
BRUCKENTHALIA spiculifolia	.35					
BUDDLEIA davidi (variabilis)	\$.15		\$.20	\$ 50	\$1.50	
magnifica, flowers of violet rose	.15		.30	•	2.50	
rose and yellow eye choice domestic seed	.15	.20	.35	1.00	3.00	
nivea yunnanensis, most conspicuous with silvery foliage, hardy around Boston	.50					
veitchiana, brilliant mauve with orange center	.50	.15	.30	.80	2.75	
japonica (curviflora) sky blue flowers		.20	.35	1.00		
BUXUS japonica.				.30		3.00
microphylla koreana				.25		2.25
microphylla sinica, Chinese hardy Box			.20	.60		
sempervirens				.25		2.10
				.15	.35	1.25
giraldiana, China			.25	.50		1.23
giraldiana subincanescens, China			.25	.50		
purpurea (dichotoma) domestic seed	.15			.30		3.00
	20			1.50		
CALLISTEMON rigidusspeciosus	.20 .20		.55 .55	1.50		
CALLUNA vulgaris, capsules				.20	.30	1.75
clean			.25	.75	2.25	6.50
vulgaris alba	.30					
CALYCANTHUS floriduspraecox, see Meratia				.15	.35	1.25
				.15	.35	1.00
CAMELLIA japonica, single flowered				.15	_	3.00
reticulata				.35		3.00
sasanqua, seed from fine collection, shades of white, rose, red, double and single.				.15		1.00
CARAGANA arborescens.				.15		1.50
CARPENTERIA californica		.35	.95	3.00		
					65	pag pad
CARPINUS betuluscaroliniana				.15 .15		.75 1.00
CARYA, see Hicoria						
CARYOPTERIS incana (mastacanthus) beautiful autumn						
flowering shrub with blue flowers	.15		.35	1.00		
white flowered	.15		.35	1.00		
pink flowered	.25		.65			
CASSIA marilandica	.15		.25	.75		

	nkt.	1/16 oz. 1/4	07.	07.	1/4 lb.	lb.
CASTANEA Juntata	pice	/16 021 /4	02.	02.		
CASTANEA dentata					.25	.50
from China					.35	1.00
japonica (crenata)					.25	.55
mollissima Liang-Shiang, Northern Chinese form with						
small nuts of good eating quality					.25	.75
mollissima Mammoth, large fruited Chinese Chestnut					.25	.75
pumila, a delightful miniature Chestnut of shrubby						
proportions, should be in every garden for its inter-						
esting fruiting habit and the edible nuts, our seed is						
properly stored				.20		1.50
sativa				15	.15	.50
seguini, Chinese Chinquapin				.15 .20		1.00 1.50
castanopsis caudata, Evergreen Chestnut				.20	.50	1.50
beneath				.20	.50	1.50
CATALPA bignonioides					.25	.75
bungei	.20			.55		
speciosa					.25	.65
CEANOTHUS americana				.15	.25	.75
arboreus	.25		.40	1.25		
arboreus hybridus	.25		.40	1.25		
azureus Gloire de Versailles	.15		.45	1.40		
cyaneus	.35					
jepsoni	.20		.45	1.50		
parryi, brilliant blue flowers	.35					
sanguineus	.45		.40	1.25		
spinosusthyrsiflorus	.15		.25	.80		
velutinus	.45		•=0	•••	2.00	
CEDRELA sinensis	.20			.50	1.50	5.00
CELASTRUS orbiculatus (articulatus), berries				.15	.30	1.00
clean				.20	.40	1.50
scandens, berries				.15	.30	1.00
clean				.20		2.00
CELTIS australis					.45	1.25
occidentalis				.20		1.75
CEPHALANTHUS occidentalis			00	. 40	.20	.55
CERCIS canadamia			.20	.40 .15		3.75 1.25
CERCIS canadensiscanadensis alba, white flowered Red Bud	.25			•13	.00	1.23
chinensis	.23		.15	.30	.70	2.50
silaquastrum				•••	.25	.75
silaquastrum album, white				.20		2.00
CHAMAEDAPHNE calyculata nana	.35					
CHIONANTHUS virginica, clean				.20	.40	1.50
CINNAMOMUM camphora				.20		1.50
CISTUS laurifolius	.20		.35	1.00		
CITRUS trifoliata		. =		.15		1.25
CLEMATIS alpina	.15	.25	.50	1.50		
armandi	2.10					
columbiana	.45 .15	.25	70	2.25		
coccineacoccinea hybrida	.35	.25	.70	2.20		
coreana (Atragene coreana), yellow flowering Clematis	.00					
of easiest culture, hardy everywhere	.15	.30	.85			
crispa	.15		.35	1.00		
flammula	.15		_	.20		2.00
florida, large flowered garden varieties	.25		.75	2.50		
heracleifolia (davidiana) blue tube shaped flowers,						
fragrant	.15		.25	.40		
integrifolia	.15	.30	.85	3.00		

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
CLEMATIS (continued)		710 0-	/4		/4	
jackmani (floribunda or grandiflora) Hybrid Clematis,						
from large flowered Garden varieties	.15	.25	.70	2.50		
jackmani double flowered	.20	.35	1.00	3.00		
ligusticifolia	.45					
macropetala, fine new large flowered Clematis, with	20					
flowers of violet-blue	.30		~ 0	1 50		
montana grandiflora	.15	.20	.50	1.50		
montana rubensmontana wilsoni	.15 .15	.20 .20	.50 .50	1.50 1.50		
orientalis (graveolens)	.15	.20	.50	1.50		
paniculata	:15	.20	.50	.20	.60	2.00
recta	.10		.15	.50		2.00
recta mandshurica	.15	.25	.75	2.50		
tangutica, with yellow flowers, fine new Clematis	.15	0	.25	.75		6.00
texensis, see coccinea						
troutbeckiana	.35					
veitchiana, yellow fragrant flowers		.20	.50			
virginiana				.25	.75	2.50
vitalba				.15	.25	.75
viticella				.20	.50	1.75
CLERODENDRON cyrtophyllum, Mayflowering Glory-						
bower from China				.25	.60	2.00
trichotomum, Glorybower, attractive in foliage, with				.23	.00	2.00
fragrant flowers and blue fruits, clean				.15	.40	1.25
				• • • •	•40	
CLETHRA alnifolia				.15		1.25
barbinervis	.15	.25		2.00		
fargesi, finest of the genus, a large shrub, hardy here	.15	.20	.35	1.00		
tomentosa, Wolly Clethra, fine hardy shrub excelling				0.5	4.00	
alnifolia in its more vigorous upright habit	.15		.20	.35	1.00	
COCCULUS carolinus				.20	.50	1.50
COLUTEA arborescens				.15	.30	.85
CORNUS alba, clean				.30	.75	2.50
amomum				.15		1.00
controversa, Chinese Pagoda Dogwood, clean				.15		1.30
florida, Northern seed, dry berries				.15		.60
Northern seed, clean.				.20	.40	1.25
florida, seed collected from red-flowered plants			.20	.50		
kousa, Japanese Flowering Dogwood, clean				.15	.40	1.25
kousa chinensis, the hardier and more beautiful Chinese						
form, clean	.20			.35	.90	3.50
mas				.15	.25	.75
nuttalli				.20	.40	1.35
paniculata				.20	.40	1.50
sanguinea, clean				.15	.35	1.25
stolonifera				.20	.40	1.50
CORONILLA emurus, fine, flowering shrub with akazia like						
foliage	.15		.25	.30	.85	3.00
glauca	.20			.45	1.30	4.50
CORYLOPSIS platypetala	.20		.25	.65	2.00	M 00
sinensis, handsome Chinese shrub	0 =		.20	.50		5.00
veitchiana	.25		.30	.70	2.50	
CORYLUS americana					.25	.70
avellana				.15	.25	.65
avellana atropurpurea						
100 nuts 1.25—1000 nuts 7.50						
colurna, Tree Hazel, a fine shade tree				.15	.30	1.00
maxima				.15	.30	1.00
4.2						

	pkt.	1/6 oz. 1/4 oz.	oz.	¼ lb.	lb.
COTONEASTER acuminata	-	.15			
acutifolia, berries.			.15		1.50
clean		.25	.55		5.50
adpressa	.20	.25	-60		6.00
adpressa praecox	.20	.25	.60		
ambigua	.25	.45	.30	.90	
apiculata	.25	.80	2.00		
bullata berries		.15	.50	1.50	
buxifolia, clean		.15	.40	1.50	
congesta, see microphylla glacialis					
dammeri	.25				
decora, Necklace Cotoneaster, new fine evergreen.					
prostrate species with foliage like Lonicera nitida,					
red berries strung along branches like beads in a					
necklace	.20	.25			
dielsiana (applanata)		.20			
dielsiana major, preferable to type		.20			
divaricata, berries	.15		.25	.70	2.50
clean			.45		4.50
foveolata		.20	.50		
francheti			-30		2.75
frigida	-15	.20	.50		
harroviana, evergreen	.15		.45		4.50
hebephylla	.25	.35			
horizontalis, berries		0.0	.40		3.50
clean		.20	.45	1.25	4.25
horizontalis wilsoni, see wilsoni		20	40	- 0=	
integerrima		.20			F 00
microphylla, clean	45	.20	.50	1.50	5.00
microphylla glacialis (congesta)	.45	•	40	1.00	2 50
moupinensis, clean		.15			3.50
multiflora	10	.15			4.00
nitens	.15	.25			6.00
pannosaparneyi, close to harroviana, a fine new evergreen		.15	.45	1.00	3.50
Cotoneaster of upright arching habit, fine foliage and					
profuse fruiting	.15		.45	1.30	4.50
praecox, see adpressa	.13		•40	1.30	4.50
racemiflora soongarica		.20	.60	2.00	6.00
salicifolia		.25			4.50
simonsi		•20	.35		3.00
tomentosa, clean	.25		•50	••••	0.00
wilsoni, a fine spreading Cotoneaster, close to horizontalis	.15	.25	.75	2.25	6.50
zabeli	•••	.15 .35			0.00
		120 100	2000		
CRATAEGUS, during fall all domestic Crataegus can be					
furnished in fresh fruit at a fraction of prices for fall					
delivery					
aprica				.15	.45
arnoldiana				.15	.45
carrieri (lavallei)				.45	1.25
clean			.50		5.00
coccinea, clean			.20		1.50
coccinoides				.15	.40
cordata			-15		75
crusgalli				.15	.40
clean			.20		1.50
macrantha, with large thorns				.20	.35
mollis				.15	.45
nitida English Hamthorn true two stone poriety				.25	.75
oxyacantha, English Hawthorn, true, two stone variety				.45	1.25
oxyacantha monogyna, English Hawthorn, one stone				05	
variety, clean				.25	.75

	pkt.	1/16 oz.	1/4 oz.	OZ.	1/4 lb.	lb.
CRATAEGUS (continued)						
oxyacantha monogyna, fresh domestic berries in						
season					.20	.50
persistens, with justrous follage and conspicuous orange-						
scarlet fruit well lasting into late fall				.20	.40	1.25
pinnatifida, clean				.15	.50	1.50
pinnatifida major, clean, large edible fruits				.25	.75	2.50
prunifolia, rivaling crusgalli as an ornamental, bearing clusters of red fruit in great profusion					1.5	40
punctata					.15 .15	.40 .35
punctata aurea					.25	.35 .75
rotundifolia.					.15	.45
submollis					.15	.45
succulenta					.20	.50
tomentosa					.20	.50
CYDONIA japonica, imported				.30	.80	2.75
seed from Garden specimens of the tall flowering Quince					_	
of Colonial Gardens	.15		.25	.75		
maulei (japonica pygmaea) Dwarf Quince				.20	.40	1.60
vedrariensis (japonica x maulei)	.15		.25	.75		
CYTISUS albus, see multiflorus						
alpinus, see Laburnum						
ardoni, prostrate fine rock plant, deep yellow	.35					
austriacus	.35					
battandieri, fine vigorous species with silvery foliage	•••					
and laburnum-like flowers	.30		.60			
capitatus, see supinus						
carlieri, fine new species of compact habit, yellow	.30					
dallimorei	.30					
elongatus, to 3 feet, yellow flowers with brown marks	.50					
glabrescens, compact shrub, bright yellow flowers	.25		.50	1.50		
hirsutus (triflorus) to 2 feet early flowering, clusters of						
buff flowers, very handsome Rock Garden shrub	.25		.60	1.80		
monspessulanus (candicans) Spike Broom, graceful						
semi-evergreen shrub up to 10 feet	.15		.50	1.35		
multiflorus, White Spanish Broom, to 5 and 8 feet,						
beautiful shrub	.15			.35	1.00	3.50
multiflorus, White Gem, more compact, an improve-			40	1 05		
ment on preceding nigricans, late flowering to 4 feet of graceful habit	.15		.40	1.25	0.15	C
praecox, fine, early, cream color	.35		.25	.70	2.15	6.50
praecox alba, charming white	.35					
purgans, low compact shrub, yellow flowers	.35					
purpureus, dwarf procumbent to 18 inches, purple						
flowers	.25		.85	2.50		
scoparius, the well-known Yellow Broom				.15	.35	1.10
scoparius, hardy strain, seed from Scandinavia			.15	.20	.40	1.50
scoparius strictus, a valuable form with stiff, erect						
branches			.15	.25	.60	2.00
scoparius, Garden Forms, charming garden plants de-						
serving widest attention, fine for the milder parts of						
the country, hardy with care in the North						
andreanus, bicolored flowers	20		.65	2.00		
andreanus Hybrids, all shades from yellow to red	.25		.75	2.25		
Named Varieties:	25					
Butterfly, yellow and orange	.35					
Donard Seedling, garnet and yellow Dorothy Walpole, velvety crimson	.30					
sessilifolius, fine, erect, shrub-like habit, yellow flowers	.15	.25	.40	1.25		
supinus (capitatus), extremely hardy, shrub to 3 feet,	.13	.23	.40	1.43		
fine for large rock gardens	.15	.25	.50	1.50		
	·					

	pkt.	1/16 oz.	1/4 oz.	oz.	¼ lb.	lb.
DABOECIA polifolia	.50					
DAPHNE genkwa, one of the handsomest of Daphnes with						
flowers of clear lilac-blue, worth any amount of care, seed for summer delivery	.20		.40	1.25	3.00	
laureola, clean	.20		.20	.50	1.50	
mezereum (rubrum) clean			.15	.45	1.20	4.00
DASYLIRION longifolium	.15		.20	.60		
DAVIDIA involucrata, Dove Tree						
10 seeds 1.50—100 seeds 10.00						
vilmoriana10 seeds 1.50—100 seeds 10.00						
DECAISNEA fargesi		.20	.45	1.50		
DEUTZIA crenata flore pleno			.25	.75		
gracilis			.25	.75		
laxifolia schneideriana	.25			0=		
scabra	.15 .15			.25 .25		
scrabra crenata, double flowered	.15		25	.75		
vilmorinae, fine floriferous, large-flowered Hybrid	.25	.60	1.50			
DIERVILLA, see Weigela						
DIOSPYROS lotus				.15	.20	.60
virginiana				.10	.20	.50
DISANTHUS cercidifolia, Japanese shrub close to Hama-				-		
melis, fine Autumn color, claret red, suffused orange	.20		.30	.60	2.00	
EDGEWORTHIA chrysantha, handsome sweet-scented						
shrub from China	.30			.50	1.50	
ELEAGNUS angustifolia				-15	.25	.75
argentea, native Silver-Berry, one of the hardiest native						
shrubs, with a silvery foliage and berries					.30	1.00
longipes, clean				.35	.95	3.25
umbellata, extremely rugged and ornamental, resistant to wind and exposure	.15			.20	.60	2.00
ELSHOLTZIA stauntoni, clean	.15	.25	.50	1.50	.00	2.00
EMBOTHRIUM coccineum, Fire Bush, magnificent ever-	•13	.23	.30	1.50		
green shrub or small tree, equal to the finest of Rho-						
dodendrons, spring flowering, with brilliant scarlet						
flowers, for the milder part of the U.S. A. only						
100 seeds .65—1000 seeds 3.00						
ENKIANTHUS campanulatus, domestic seed	.20		.35	1.00	3.50	
campanulatus albiflorus	.25		.50	1.50		
campanulatus palabini, with red flowers	.15 .15	.25 .30	.50	1.50		
cernus rubenschinensis	.20	.30	.65 .30	2.00 1.00		
perulatus	.20		.35	1.00		
ERICA carnea, Spring Heather	.15			.25	.70	2.50
cinerea	.15		.25	.75	2.00	2.50
cinerea alba	.25					
lusitanica	.25					
mediterranea	.25		05		0.00	
scopariastrictastricta	.25		.25	.75	2.00	
tetralix, Rose Bell Heather	.35					
vagans	.25					
vagans alba	.25					
vagans St. Keverne	.25					
vulgaris, see Calluna						
ERIOBOTRYA japonica	-			.15	.35	1.25
ERYTHRINA cristi-galli100 seeds .85—1000 seeds 5.50 ESCALLONIA floribunda	.20 .25					
EUCOMMIA ulmoides, hardy Rubber tree, fine shade tree.	.25		.60	2.00		
The state of the s			-50			

						====
·	pkt.	1/16 oz.	1/4 oz	oz.	1/4 lb.	lb.
EUONYMUS alatus				.15	.35	1.25
americanus				.15	.35	1.25
atropurpureus (Wahoo)					.45	1.50
bungeanus	.15			.25	.70	2.50
europaeus, clean	.15			.25	.75	2.25
grandifloruslatifolius, clean	.20 .15			.50 .20	.50	1.75
oxyphylla	.15			.35	1.00	1.73
radicans vegetus	.15			.30	.85	2.00
sachalinensis, conspicuous in foliage and fruit	.15			.40	1.00	3.50
sieboldiana	.15			.30	.85	2.00
yedoensis, fine ornamental Euonymus, most beautiful						
with its heavy crops of scarlet fruit, domestic seed			.20	.50	1.50	4.75
EXOCHORDA grandiflora	.15			.20	.45	1.45
EUSCAPHIS japonica, handsome feathery foliage and bright colored pod-like fruits and steel-blue seeds	.15			.35	1.00	
FAGUS americana				.15	.40	1.25
sylvatica				.15	25	.75
sylvatica purpurea				.20	.55	1.65
FONTANESIA fortunei	.25					
FOTHERGILLA major	.35		CE	2.00		
monticola	.35		.65 .65	2.00		
FRAXINUS americana					.20	.65
excelsior				.15	.25	.75
lanceolata					.20	.75
mandschurica					.40	1.25
oregona	.45					
ornus				16	.25	.75
pennsylvanicavelutina				.15 .15	.25 .45	.95 1.50
FREMONTIA californica	.30		.60	2.00		
mexicana	.30		.55	1.75		
GARDENIA florida	.15			.30	.75	2.50
GAULTHERIA procumbens			.20	.50	1.25	4.50
shallon			.20	.45	1.20	4.25
GENISTA aetnensisalba, see Cytisus multiflorus			.15	.45	1.00	3.50
anglica	.30					
candicans, see Cytisus monspessulanus						
germanica, to 2 feet, bears spines, one of the hardiest			.15	.50	1.20	
hispanica, recommended for dry banks, exposed to full	~~					
sun, forming dense cushion-like bolsters, 2 feet high	.25					
monosperma, to 4 feet, fine species for mild climate, with white flowers			.20	.50		
pilosa, dwarf trailing, forming a little tree to 18 inches			.20	.00		
high	.30					
radiata, dense shrub to 3 feet	.15		.25	.75		
sagittalis, a low spreading plant for rock gardens	.25					
tinctoria, shrub to 2 feet, late flowering, the best known				25	76	2 25
and most widely planted				.25	.75 .20	2.25 60
GINKGO biloba, domestic seed						
GLEDITSIA japonica (horrida)				.15	.40	1.25
sinensistriacanthos				.20 .15	.50 .25	1.75 .85
triacanthos inermis				.10	.30	1.00
GYMNOCLADUS dioica				.10	.20	.65
GIMINOCLADOS GIOICA				• 10	-20	.00

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
HALESIA diptera				.25	.65	2.50
fortunei, see Alniphyllum fortunei monticola, the finest of native Silver-bells10 seeds. 45			٠	15	20	٥٣
tetraptera				.15	.30	.95
HALIMODENDRON halodendron (argenteum)	.15		.30	-85	2.00	
HAMAMELIS japonicajaponica arborea	.20		.15 .25	.30 .75	.90	3.00
japonica flavo-purpurascens. mollis. This grown from seed produces an interesting variety of forms, some plants resembling Japonica, others showing more or less the velvet leaf of the mollis (i.e. soft) type. All forms are superb garden shrubs with clean attractive foliage and interesting yellow flowers in late winter and early spring. Plants	.20		.25	.75		
are perfectly hardy around Boston. mollis, seed from China	.20 .20 .20		.35 .45 .25	.75 1.25 .65 .15	2.25	1.50
HEDERA helix, clean				.15	.35	1.25
HESPEROYUCCA whipplei				.45	1.20	4.00
HIBISCUS paramutabilis, from China, one of the hardiest and handsomest shrubby Hibiscus	15		.30	.85 .15 .15	2.55 .40 .45	1.25 1.25
HICORIA (Carya), large quantities priced on request alba (tomentosa)				.15	.40	.20 1.00 .25 .25 .20 .20 .35 .25 .35
HOLODISCUS discolor (Spiraea ariaefolia) handsome native						
shrubdumosa	.15 .75			.35	.75	2.50
HOVENIA dulcis	.15			.20	.50	1.50
HYDRANGEA arborescens, clean	.15	.15	.25	.35	1.00 1.20	3.50 4.00
HYPERICUM (fine seeds, sow in Sphagnum Moss) calycinum, evergreen ground-cover plant	.25 .25 .25 .25	.30	1.00			
cover plants with attractive foliage and large yellow flowers polyphyllum, prostrate sub-shrub, fine for rockeries	.20 .25	.30	1.00			
prolificum, fine hardy shrub, most vigorous of the native Hypericums	.25	.75				
IDESIA polycarpa, from Japan	.20	•13		.35	1.00	
polycarpa vestita, the Chinese form	.20		.25	.50	1.50	

		1/6 oz. 1/4 oz.	o= 1	/ lb	lb.
II PN to It I to The I to	pkt.	716 OZ. 74 OZ.		•	
imported, clean			.15 .15	.35 .35	1.25 1.20
cornuta, CHINESE HOLLY, clean	.15		.30	.35 .75	2.50
crenata, imported, clean	.15		.20	.40	1.50
domestic, berries			.25	.60	2.25
crenata bullata (convexa) charming evergreen, perfectly					
hardy around Boston	.20	.35			
dubia macropoda, domestic	.15		.30	.75	2.50
glabra, New England seed, a hardy strain			.20	.50	1.50
integra	.15		.20	.40	1.50
latifolia, clean	.15		.25	.55	2.00
monticola	.15		.20	.40	1.50
ne motoi	.20		.75	.35	1.00
opaca, Northern seed, berries			.15 .25	.60	2 00
pedunculosa, clean			.25	.60	2 50
pedunculosa continentalis, the Chinese form, appar-			.25	.00	2 50
ently hardier than preceding			.25	.60	2.50
purpurea, from China, one of the handsomest Hollies	.15	.20	.50		
serrata (sieboldi)	.15		.20	.55	2.25
verticillata, New England seed			.15	.35	1.00
vomitoria			.20	.40	1.50
wilsoni, Chinese form of llex aquifolium		.15	.35	1.00	
ILLICIUM henryi, Star-Anise, interesting aromatic Chinese					
evergreen shrub	.15	.20	.45	1.25	
INDIGOFERA dosua	.20	.40	1.25		
kirilowi	.15	.20	.60		
ITAEA virginica, native dwarf shrub, charming	•10	.20	.30	.75	2.50
JASMINUM fruticans	.15	.25	.65		
	.13	.23	.03		
JUGLANS, large quantities priced on request					0.5
californica hindsicinerea					.25 .20
cinerea, New England seed					.30
mandshurica					1.20
mandshurica, from interior Mandshurica, the hardiest					1.20
and most Northern strain of Walnuts					1.50
nigra					.18
regia					.45
regia sinensis					.65
sieboldiana					.75
sieboldiana cordiformis					.75
KALMIA angustifolia, clean	.20	.45	1.50		
latifolia, clean	.15	.25	.75	2.65	
KERRIA japonica	.15		.25	.75	2.50
KOELREUTERIA paniculata			.15	.30	1.00
KOLKWITZIA amabilis, clean	.20	.35	.85	2.50	•
LABURNUM alpinum, seed from Alps.	.20	•00	.15	.45	1.60
Northern seed, Scandinavia and Scotland			.15	.75	2.50
vossi (alpinum x vulgare)	.25		23	.73	2.50
vulgare	.23		.15	.35	1.25
LAUROCERASUS caroliniana			- 20	.25	.75
lusitanica				.50	1.50
officinalis				.30	1.00
			15		
LAURUS nobilis			.15	.30	1.00
LEDUM glandulosum	.50				
groenlandicum	.50				
latifolium	.45				
LEIOPHYLLUM buxifolium, fine dwarf evergreen shrub	.15	.65	2.00		
buxifolium prostratum	.35	1.00			

	pkt.	1/6 oz .	1/4 oz.	oz.	1/4 lb.	lb,
LESPEDEZA bicolor alba	-			.15		1.35
rosea				.15		1.25
formosa (japonica)				.15	.35	1.00
formosa albiflora				.20	.50	1.75
LEUCOTHOE catesbaei, clean		.15	.35	1.00	3.50	
racemosum		.20		1.50		
·						
LEYCESTERIA formosa, clean		.20	.60	2.00	_	
LIGUSTRUM amurense				.15		.65
ibota				.35	.20	.65 3.00
ionandrumjaponicum				.15		.75
lucidum	[.15		.75
quihoui	1			.45		•••
vulgare, clean				.15	.35	1.25
LIQUIDAMBAR styraciflua				.25	.70	2.25
LIRIODENDRON tulipifera				.15	.25	.75
LOISELEURIA procumbens	.85			120	120	•••
-						
caprifolium, the original old English "Honeysuckle,"	.25			.75	2.25	
a fine climber with creamy flowers of great fragrance	.20			.25	.75	2.50
henryi, elegant climbing Chinese Honeysuckle, evergreen	.20			•20	• • • • •	2.50
with scarlet flowers all summer and bluish green fruit,						
hardy at Boston	.25		.45			
maacki, beautiful in flower and fruit			.20	.40		
morrowi			.20	.40	1.25	
periclymenum, the original English "Woodbine"	.25			40	- 0-	
ruprechtiana, a fine new speciestatarica, clean	.20 .15			.40 .40		3.80
tragophylla, fine climbing Honeysuckle from China, with	.13			.40	1.25	3.60
large bright yellow flowers	.20		.50	1.50		
xylosteum, clean				.25	.60	2.00
LOROPETALUM chinense, from China, half-evergreen						
shrub, very pretty and hardy, close to Witch Hazel.			.25	.65	2.00	
LYTHRUM salicaria, Purple Loosestrive	.25	.50				
MAACKIA amurensis	.15			.35	.90	3.00
	•13					
MACLURA pomifera				.15	.30	1.00
MAGNOLIA acuminata					.45	1.50
campbelli, the giant Himalayan "Pink Tulip Tree" for warm climates only	.20		.30	1.25		
conspicua (denudata or Yulan)	.20		. 30	.55	1.65	5.00
fraseri				.50	1.35	4.50
glauca, hardy Northern strain, New England seed, lean.	.15			.35	.75	2.60
grandiflora				.20	.45	1.60
hypoleuca (obovata)				.20	.60	2.00
kobus				.20	.60	2.00
liliflora (purpurea)				.35	.90	3.00
macrophyllaparviflora				.60	2.00 1.00	6.50 3.35
salicifolia				.30	1.05	3.50
soulangeana				.50	1.50	5.00
stellata				:40	1.25	3.75
tripelata				.15	.45	1.50
MAHONIA aquifolium, clean				.20	.50	1.85
japonica (bealei)				.35	-85	3.25
nepalensis, the true large flowered Himalayan species	.15		.25	.75		
nervosa	.45					
pumilarepens	.45 .15		.25	.65	2.25	
*chc::9	.13		.43	•00	2.23	

		 				
*******	pkt.	1/16 oz.	1/4 oz.			lb.
MALUS baccata mandshurica, cleanbaccata sibirica, superb, white flowering, hardy, clean.				.40 .40		3.50 3.50
coronaria, clean			.25	.75		4.00
ioensisparadise (dwarfing) STOCK FOR APPLE.	.25		.70			
sargenti, dry berries	.20			.30		2.80
sieboldi, clean	.20			.45		4.50
sieboldi arborescens, dry berries	.15		.20	.50	1.50	
sylvestris, Apple, FOR FRUIT STOCK, French seed sylvestris, Apple, FOR FRUIT STOCK, Austrian seed. theifera, the most remarkable of all flowering Crab				.15 .15		.80 1. 2 5
Apples, domestic dry fruit	.15		\$.30	\$.50	\$1.50	
theifera, clean seed from Chinatoringoides, Cutleaf Crab, in fruit (resembling Napoleon	.15		7 .00	•	\$1.25	\$4.00
Cherries) one of the handsomest of Crab-Apples,						
dry fruit	.20			.50	1 35	4.50
zumi calocarpa (sieboldi caloc.) dry berries	.15		.20			4.50
MENZIESIA cilicalyx	.25	.80				
MERATIA praecox (Calycanthus praecox) fine garden shrub,						
Spring flowering, fragrantpraecox grandiflorus			.20	.25 .50	.75 1.50	2.50
MORUS alba				.15	.40	1.35
alba moretti, large foliage			.20	.50	1.75	
alba tatarica				.15	.40	1.35
nigra, for dry sandy soil	.15		.25	.75		
rubra, Cedrona variety	.15		.25	.75	2.50	
MYRICA californica, California Bayberry, ornamental	•			40	1 0-	4.00
shrub with conspicuous fruits, for dry sterile sand.	.20			.40 .15	1.25 .30	4.00 .95
cerifera				.15	.40	1.50
NANDINA domestica, American seed				.15	.25	.85
NYSSA sylvatica				.15	.25	.80
ONONIS fruticosa	. 30					
natrix	.30				40	- 05
OXYDENDRON arboreum		15	25	.15	.40	1.25
arboreum, clean		.15	.25	.75		
PAEONIA suffruticosa (moutan) from wild plants	.20			.70	2.00 2.50	6.50
suffruticosa from garden collections	.25			.85		8.50
PALIURUS spina christi (aculeatus)				.15	.30	.90
PERIPLOCA graeca	.25					
PHELLODENDRON amurense	.15			.20	.50	1.75
PHILADELPHUS coronarius, clean		.15	.25	.75	2.10	
grandiflorus, clean		.15	.35	85	2.50	
incanus sargentianus, from China, late flowering						
Mock-Orange	.35					
lewisivirginalisPHILLYREA angustifolia	.45 .50	.75			.65	2.00
PHOTINIA (Heteromeles) arbutifolia				.15	.35	1.00
beauverdiana, fine Chinese deciduous shrub				.30	.90	2.75
glabra				.25	.75	2.35
serrulata, true to name				.30	.85	3.00
villosa, cleandomestic fruit				.20 .20	.60 .50	2.00 1.75
PHYSOCARPUS (Spiraea) opulifolius				.20	.55	1 80

	-1-4	1/	1/		1/. Ib	lь.
	pĸt.	1/16 OZ.				
PIERIS floribunda, clean			15	.45	1.50	5.00
japonica, clean		.15	.25	.60	1.75	
mariana, fine hardy shrub, clean		.15	.25	.60		
PITTOSPORUM tobira				.30	.75	2.75
PLATANUS occidentalis					.25	.85
orientalis					.25	.85
POLYGONUM auberti	.30					
baldshuanicum	.30	=0	1 50			
POTENTILLA fruticosa	.25	.50	1.50			
fruticosa veitchi	.25	.50	1.50			
PRUNUS allegheniensis, Alleghany Pium, similar to						
maritima but more upright, a valuable landscape						
plant, shrub or small tree, white flowers turning						
pinkish, blue-bloomy, edible fruit						
10 seeds .25—100 seeds 1.50					-	
americana, clean				.15		1.00
armeniaca					.20	.65
avium, Mazzard Cherry—FOR FRUIT STOCK						.55
avium sylvestris, gum flux resistant silver bark strain						
of Mazzard Cherry—FOR FRUIT STOCK				.15		1.00
besseyi, Western Sandcherry, clean				.25	.45	1.50
caroliniana, see Laurocerasus						-
cerasifera (myrobolan)—FOR FRUIT STOCK					.20	.65
davidiana, see Amygdalus						
demissa melanocarpa (virginiana melanocarpa), clean.				.25	.70	2.50
ilicifolia				.20		1.50
incisa, clean				.20		1.75
lannesiana, clean				.20		1.00
lyoni (integrifolia) Catalina Cherry				.20	.35	1.25
mahaleb, Mahaleb Cherry—FOR FRUIT STOCK—					~-	
cleanmandshurica, hardy Apricot—FOR FRUIT STOCK—				.15	.25	.75
mandshurica, nardy Apricot—FOR FRUIT STOCK—						1 00
clean				.15	.30	1.00
maritima, New England seed				.25	.60	2.00
mume, clean				.15	.25	.75
nigra				.20	.40	1.50
padus, clean				.15 .20	.25 .50	.85 1.75
pennsylvanicapersica, see Amygdalus				.20	.50	1.75
serotina				15	.25	.70
clean				.15 .20		1.65
				.15	.30	1.00
serrulata, cleanserrulata sachalinensis, clean	.15			.20	.50	1.75
serrulata spontanea, Chinese flowering Cherry	.15			.30	.75	2.50
spinosa, clean	.13			.30	.25	.75
subhirtella, clean	.15			.25	.60	2.00
subhirtella pendula, clean	.15			.30	.70	2.50
tomentosa, clean	•13			.15	.40	1.50
triloba, clean				.15	.40	1.25
virginiana, New England seed				.15	.30	1.00
virginiana, clean				.20	.60	2.00
yedoensis, clean				.20	.50	1.75
PTELEA trifoliata				.15	.35	1.75
PTEROCARYA caucasica				•13	1.00	3.00
PTEROSTYRAX corymbosum, Epaulette Tree, deciduous					1.00	5.00
tree from China	.15			.25	.75	2.25
PUERARIA thunbergiana.	.13			.15	.35	1.25
PYRACANTHA coccinea				.15	.35	1.25
coccinea lalandi, hardy strain, here collected				.20	.70	2.50
formosa splendens, Splendid Firethorn, regarded as the				.20	.,0	
most freely fruiting of all Cotoneaster and Pyracantha,						
bearing heavy crops of large brilliant red, glossy						
berries			.25	.55	1.60	
yunnanensis				.20	.50	1.75

PYRUS betulaefolius, an ornamental pear with attractive	pkt.	1/16 oz.	½ oz.	02.	¼ lb.	lb.
foliage and white flowers, a small tree of graceful					4 50	F 00
habit			.20	.50		5.00
calleryana—FOR FRUIT STOCK				,50		5.00
communis, Wild Pear—FOR FRUIT STOCK				.15	.35	1.25
serotina, Japanese Pear, blight-resistant—FOR FRUIT						
STOCK				.30	.70	2.50
ussuriensis, Chinese Pear, blight-resistant—FOR FRUIT						
STOCK				.30	.70	2.50
QUERCUS, all Oak seed should be ordered as early as possible in the fall. Quercus rubra and other domestic varieties are being stored for spring planting. Ask for quantity prices. alba					.35	.20 .35 1.00 .20 .45 .20 .30 .40 .40 .20 .40 .25 .25 .30 .25 .25 .25 .25
RAPHIOLEPIS indica				.20 .20		1.50 1.50
DUAMNIC				4 =	40	1 25
RHAMNUS caroliniana				.15		1.35
cathartica				.20		1.75
frangula, clean				.15		1.25
purshiana				.35	.95	3.00

lb.

	pkt.	1/6 OZ.	1/4 oz.	oz. 1/4 lb.
RHEDERODENDRON macrocarpum, a new tree of the	•	710		
Styrax family, recently discovered in West China				
and named after Prof. Alfred Rehder of the Arnold				
Arboretum, flowers similar to those of the Silver Bell,				
but larger and pinkish, in dense clusters, fruits woody,				
larger than an egg10 each—10 for .85				
RHODORA, canadensis (see Rhododendron canadensis)				
RHODODENDRON-All our Rhododendron seeds are being				
tried in test plantings. Our seed are the best available and will grow if properly planted.				
adenopodum	.75			
aechmophyllum	.75			
- ·	.50	1.25		
ambiguum, yellow	.35	.75		
anwheiense, from China	.75	./3		
aralioides		20	.50	1 50
arboreum	.15	.30	.30	1.50
augustini	.55	1.50	~ ~	. ~~
brachycarpum	.15	.20	.55	1.75
californicum	~~	.15	.40	1.25
calophytum	.75	4 70		
campanulatum	.60	1.50		
canadensis (Rhodora can.)		.45	1.00	3.90
cantabile	.55			
carolinianum, New England seed		.15	.35	1.00
carolinianum, album New England seed		.35	.75	2.50
catawbiense, New England seed from garden plants	.15	.20	.40	1.25
catawbiense compactum		.20	.40	1.25
caucasicum	.40			
charianthum	.75			
chartophyllum	.75			
ciliatum	.60			
dahuricum	.15	35	.85	3.00
decorum	.50			
decorum major	.75			
disquamatum	.75			
ferrugineum	.15	.20	.50	1.50
floribundum	.75			
fortunei	.25	.45	.115	3.50
fortunei cyanocarpum	.75			
hippophaeoides	.40	2.00		
hirsutum	.20	.35	.80	2.50
impeditum	.55			
keiskei	.60	1.80		
lapponicum	.90			
longistylum	.75			
lutescens	.60			
mariesi, promising Chinese introduction, neat, bushy				
shrub, handsome free-blooming, clusters of pale-lilac				
flowers	.25	.75	2.00	
maximum		.15	.30	1.00
maximum, seed from a number of large flowered garden		- 20		-
specimens		.20	.65	
metternichi, form as in trade	.15	.30	.85	
metternichi, the true species.	.75		-00	
micranthum	.65			
minus (punctatum), New England seed	.25	.50	1.50	
mucronulatum	.15	.35	.80	2.50
oleifolium, see racemosum	.13		.00	2.00
oreodoxa	.40	1.50		
oreotrephes	.75	1.30		
oroticpitos	.13	20	1.00	2.00

.30 1.00 3.00

RHODODENDRON (Continued)	pkt.	½ oz.	1/4 oz.	oz.	¼ Њ.	lb.
polylepis	.75					
ponticum, from a choice strain in Northern Europe,						
built up in years of selection. The strains of ponticum						
are less exacting as to soil conditions than other						
Rhododendron, producing fast growing floriferous						
plants having larger and finer flowers than Cataw- biense. Shades are of pink-rose, purple, violet and						
intermediate. If planted under shelter of buildings,						
trees or woodland protection, plants are reliably hardy.						
These have stood unharmed the Arctic cold of the						
winters, 1928-29, in northern Europe. A number of	•					
our finest Rhododendron Hybrids are of ponticum						
parentage	.40	.85		7.50		
ponticum, for understock		.25	.60	1.75		
ponticum compactum	.50	1.00				
punctatum, see minus	75					
racemosum	.75 .75					
siderophyllum	.75					
smirnovi	.50	1.25				
thomsoni, from garden plants	.75					
ungerni	.50	1.50				
wittoni, dwarf, attractive with white red-spotted flowers	.75					
yanthinum	.75					
yunnanense	.75	2.00				
RHODODENDRON HYBRIDS (Trial packets at half pric Album elegans	•) •50	1.50				
Album grandiflorum	.50	1.50				
Arboreum Hybrids	.20	.35		3.00		
Ascot Brilliant	1.00					
Aucklandi Hybrids	1.00					
Bagshot Ruby	1.00					
Boule de Neige	.50	1.50				
Brittannia	1.00 50	1.50				
Catawbiense album	.50	1.50				
Catawbiense grandiflorum	.50	1.50				
Catawbiense Hybrids, New England seed	.20	.30	.85	3.00		
from pink flowered plants	.50	1.50				
from red flowered plants	.50	2.00				
Cunningham's, white	.50 .45	2.00				
Dawn's Delight	1.00					
Decorum x Aucklandi.	.75					
Edward S. Rand	1.00					
Everestianum	.50	1.50				
Fortunei Hybrids	1.00					
George Hardy	1.00	1 50				
KettledrumLady E. Cathcart	.50 1.00	1.50				
Lee's Dark Purple	1.00					
Loder's White	.75					
Luscombei (fortunei x thomsoni)	1.00					
Mrs. C. E. Pearson	1.00					
Mrs. Lindsay Smith	1.00					
Parson's Grandiflorum	1.00					
Pink Pearl	1.00 .50	1.50				
Smirnovi Hybrids	.40	1.35				
White Pearl	1.00					
Choice Hybrid Seed, collected by a Rhododendron						
specialist in Northern Europe from new, choice and						
named varieties, of both English and Continental						
breeders	1.25					

glaucum

RHODODENDRON, collected in the Himalayan Mountains of India.

anthopogon arboreum, type, pink flowers in large trusses arboreum, red flowering argentum aucklandi (griffithianum) barbatum camelliaeflorum campanulatum campbelli campylocarpum ciliatum cinnabarinum dalhousiae edgeworthi falconeri

grande hodgsoni lanatum lepidotum maddeni niveum pendulum pumilum setosum thompsoni thompsoni var. candilabra triflorum vaccinoides virgatum watti wighti zeylanicum

	pkt.	1/6 oz.	1/4 oz.	oz.	1/4 lb.	lb.
RHODOTYPOS kerriodes				.20	.45	1.25
RHUS canadensis				.15	.30	1.00
copallina				.15	.30	.85
cotinus				.20	.50	1.75
glabra					.20	.60
integrifolia	.20			.55	1.00	3.50
laurina	.20			.55	1.00	3.50
ovata	.20			.65	1.20	4.00
typhina					.25	.75
RIBES alpinum, clean			.25	1.00	3.25	
aureum, clean			.25	.85	3.00	
bracteosum	.45					
lacustre	.45					
sanguineum, clean				.40	1.10	3.75
ROBINIA pseudoacacia					.20	-55
pseudoacacia bessoniana				.20	.40	1.50
pseudoacacia inermis, Thornless Locust				.15	.35	1.25
pseudoacacia spectabilis				.20	.40	1.50
viscosa, pink flowering Locust				.30	.85	2.75
ROSA acicularis, a native rose from the extreme North			.15	.25	.65	
acicularis nipponica			.20	.50	1.50	
blanda				.15	.30	1.00
canina, clean				.15	.25	.75
canina, Kokulinski variety, preferred as stock for graft-						
ing, clean				.30	.80	2.75
canina, Senff's variety, preferred as stock for grafting,						
clean				.40	.95	3.25
dahurica				.20	.40	1.50
gymnocarpa	.45					
helenae	.15		.35			
hugonis	.25					
humilis	_			.15	.30	1.00
laxa (froebeli), a hardy rose for stock				.25	.65	2.25

	pkt.	1/6 oz.	1/4 oz.	oz.	¼ lb.	lb.
ROSA (continued)						
lucida (virginiana)lucida (virginiana) alba, white flowered Meadow Rose	.35			.15	.30	-95
maximowicziana	-00			.20	.40	1.50
multiflora, domestic hips, well cleaned, bright red				.15	.25	.75
multiflora, broken up hips, ready for planting					.30	.85
multiflora, imported clean				.15	.35	1.00
multiflora nana, Baby Rose, starts flowering three months after sowing 100 hips .50—1000 hips 3.25						
nitida				.15	.35	1.00
nutkana	.45					
palustris					.35	1.00
pisocarpa	.45				•	
rubiginosa				.20	.50	1.00
rubiginosa, clean				-15	.40	1.50
rubrifolia, clean				.30	.80	2.75
rugosa, clean				-15	.35	1.00
sericea	.25		.50			
setigera, hips				.15	.35	1.25
clean				.30	.70	2.50
spinosissima, an old time garden jewel of extreme						
hardiness				.20	.50	1.75
spinosissima altaica			.30	1.25		
suffulta (pratincola) a native rose from the extreme						
North			.15	.30	.80	
villosa (pomifera) very large apple-like fruits, fine for			.15	.30	.80	2.75
preserves, clean			•15		.35	1.00
wichuriana, cleanwichuriana, domestic hips				.15 .15	.30	.90
wicharia, domestic mps				.13	.30	.50
RUBUS parviflorus	.45					
RUSCUS aculeatus				.20	.40	1.50
racemosus				.20	.50	1.75
SAMBUCUS canadensis				.15	.25	.75
coerulea	.45					
leiosperma	.45				40	1 50
nigra, clean				.20	.40	1.50
racemosa, clean				.25	.75	2.50
SARCACOCCA chingi, fine evergreen ornamental of Box						
family, yellow flowers, purple fruit	.25		.40	1.50		
SASSAFRAS varifolium				.15	.30	.90
SCHINUS molle				.20	.50	1.75
SCHIZANDRA sphenanthera, deciduous climber, with red						
leaf stalks, orange flowers, long strings of bright red						
bead like berries, China			.35	1.00		
ocad fixe berries, Omna			•00	1.00		
SCHIZOPHRAGMA hydrangeoides				.35	1.20	4.50
integrifolia denticulatum, Chinese Climbing Hydran-						
gea, with large leaves, flowers in large cymes often a						
foot across	.30		.50	1.50		
SHEPHERDIA argentea				.25	.70	2.50
	.60			.23	.,,	2.50
canadensis	•00					
SKIMMIA japonica				.25	.55	2.25
reevisiana, China	.20		.35	1.00		
				-		
SORBARIA (Spiraea) aitchisoni		.15	.30	.85		
assurgens		.15	.30	.85		
lindleyana		.15	.25	.75		
sorbifolia		.15	.35	1.25		

	pkt.	1/16 oz. 1/4 oz.	oz.	1/4 lb.	lb.
SORBUS alnifolia	•	710 74	.30	.85	
americana				.45	1.25
aria, clean			.30	.75	2.50
aucuparia, berries				.25	.75
clean			.30	.75	2.50
commixta, Japanese Mountain Ash, domestic seed		.15	.40	1.25	
scandica, clean		.15	.35	1.00	
SOPHORA japonica			.15	.25	.75
pendulasecundiflora, fine Mexican S. violet flowered		.25	.15	.30 2.00	1.00
vicifolia		.20	.50	1.50	
SPARTIUM junceum		.20	.15	.35	1.25
1	.45			.55	2.20
tomentosa, easy grown native shrub with deep rose	.43				
flowers, good "filler" plant in landscape work			.30	.80	2.50
trichocarpa, a fine hardy garden shrub, easily raised			.50	.00	2.50
from seed, domestic seed	.15	.25	.75		
veitchi	.25				
wilsoni	.25				
STACHYURUS chinensis, a handsome early flowering shrub	.45				
STAPHYLEA bumalda			.15	.30	1.00
pinnata			.15	.25	.90
trifolia			.20	.45	1.80
STEPHANANDRA chinensis		.25	.85		-100
	5 0	.23	.03		
STEWARTIA gemmata	.50	•	.35	1.10	
pentagyna			.50	1.40	4.50
pseudocamellia			.35	1.10	3.50
sinensis	.50		.00	1.10	0.50
STRANVESIA davidiana	.30				
STYRAX americana			.15	.35	1.00
calvescens, from China, shining green leaves, pale orange					
flowers	.20		1.00		
japonica			.15	.35	1.25
obassia			.20	.40	1.50
officinalis		.15	.45	1.25	
philadelphoides, from China, large white fragrant			20		0.70
flowers, similar to those of the Mock-Orange			.30	.75	2.50
SYMPHORICARPOS chenaulti			.50	-	
racemosus, clean			.15	.35	1.10
vulgarisSYMPLOCOS paniculata (crataegoides)			.15	.35	1.10
SYRINGA, amurensis clean		.25	.25 .75	.70	2.75
dilatata, clean	.15	.20	.50	1.50	
japonica, clean	.15	.20	.50	1.50	5.00
josikaea, clean	120		.35	.90	3.00
micrantha, clean		.35	1.00	3.00	0.00
microphylla, a much favored Chinese species, small					
shrub to 5 feet, flowers pale lilac in June and again					
in late Summer, clean	.15	.25	.65	2.25	7.00
oblata, clean	.15	.20	.50	1.50	5.00
palabiniana, early flowering species from Korea, elegant					
shrub with lilac-mauve flowers, clean	4=	.20	.60	1.65	6.00
villosa, clean	.15	.25	.50	1.50	5.00
vulgaris, clean	.15		.25	.60	2.00
white, cleanwhite, double flowered		20	.25 1.00	.75	2.50
red, double flowered		.30 .30	1.00		
collected from Charles X, red	.15	.35	.85		
French Hybrids, saved from choice domestic collec-					
tion of named varieties, clean	.15	.20	.50	.135	5.00

					
	pkt.	1/6 oz. 1/4 oz.	oz.	1/4 lb.	lb.
TAMARIX gallica	•	710 74	.20	.60	2.00
TERNSTROEMIA gymnanthera, evergreen shrub from			.20	.00	2.00
China, flowers in clusters, creamy-yellow, nodding,					
sweet scented, bright red fruit on brilliantly colored					
long stalks. One of the handsomest of shrubs		.25	.75		
THEA oleosa, Oil Tea Bush from China, Camellia-like leaves,		120	•••		
with large red, plum-like fruits	.25		.50		
sinensis, Tea Bush from China, collected from a hardy	.43		.50		
variety			.15	.45	1.25
			-		
TILIA americana	•		.15	.30	1.00
argentea, see tomentosa				25	00
cordata (parvifolia)				.25 .25	.90 .90
platyphyllos				.25	.90
tomentosa				.43	.50
a garden jewel from Chile, lantern-like flowers of					
glowing crimson in May, shrub or small tree	.65				
TRIPTERIGIUM regeli	.15		.40	1.10	3.50
ULEX europeus.	•13		.20		2.00
europeus nanus			.30		3.00
ULMUS americana.	.55		.50		0.00
parvifolia, Lace Bark Elm, excellent shade tree	.55		.25	.60	2.00
pumila			•20	.50	1.50
					1.00
UMBELLULARIA californica, California Laurel, one of the			0.5	25	9 50
finest of American Evergreens, fairly hardy			.25		2.50
VACCINIUM corymbosum		.20	.35	.90	3.00
corymbosum, from large fruited, cultivated varieties,					
such as Pioneer, Rubel, Cabot. These are planted					
for their delicious fruit	.20	.25	.75		
ovatum	.45				
parvifolium	.45				
vitis idaea, fine rock garden and ground cover plant on					
poor soil, with red berries	.30				
VIBURNUM acerifolium			.15		1.00
americanum			.15	.35	1.25
betulaefolium	.35				
carlesi, clean			.30		2.50
cassinoides			.20		1.75
dentatum			.15		.75
dilatatum, domestic			.15		1.25
seed from Japan, clean			.15		1.00
seed from China, clean	4 10		.20 .25		1.60 2.25
furcatum, Chinese Hobble-Bush	.15		.25	.05	2.23
ichangense from China, with handsome foliage, white	.20		35	1.00	3.00
flowers and red fruits	.20		33	.40	1.50
lantana, clean				.25	.90
lentago molle			.25		2.00
nudum			.20		1.50
odoratissimum, clean	.15		.20		1.50
opulus, clean	.13		.20		1.50
prunifolium			.15		1.25
rhytidophyllum	.15		.20		2.50
setigerum, from China, upright shrub of neat habit with	.13		0	100	
large glossy handsome leaves and ornamental bright					
Orange fruits	.20		.35	1.00	3.00
sieboldi, clean	.20		.15		1.10
tinus, clean			.15		1.25
tomentosum, clean	.15		.25		2.50
wrighti, clean	.15		.25		2.25
	-10				_

	pkt.	1/16 02.	1/4 oz.	oz	. 1/4lb	lb
VITEX agnus castus				.15	.40	1.25
white				.25	.60	2.00
macrophylla	.15			.25	.60	2.00
negundo incisa	.15			.40	1.25	
VITIS aestivalis				.30	.70	2.50
amurensis				.20	.55	1.75
coignetiae				.15	.40	1.35
cordifolia				.20	.35	1.75
davidi, China	.15			.30	.70	2.50
labrusca				.25	.65	2.25
rotundifolia				.30	.75	2.75
titanea, with large lustrous leaves	.20	•	.35	1.25		
WEIGELA grandiflora	.20		.25	.75		
praecox, fine early	.25	.50				
rosea (florida)	.25		.40			
Eva Rathke	.25		.40			
venusta	.25					
WISTERIA frutescens				.30	.80	2.75
frutescens magnifica				.35	1.10	3.50
multijuga, blue				.25	.60	2.00
white					.75	2.50
sinensis, blue, domestic, collected from garden plants				.15	.45	1.25
blue, imported				.15	.30	.95
white				.25	.60	2.00
XANTHOCERAS sorbifolia	.20			.60	1.80	6.00
YUCCA baccata	.15		.25	.75		
brevifolia	.15		.25	.75		
filamentosa	.15			.25	.60	2.00
glauca (angustifolia)	.15			.25	.65	2.25
gloriosawhipplei, see Hesperoyucca	.20			.35	1.00	
ZENOBIA pulverulenta, clean	.25	.50	1.50			
ZIZYPHUS jujuba				.15	.40	1.25



